

**Table 2.62C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	882	922	511	493	388	354
<b>GEOGRAPHIC DIVISION</b>						
Northeast	356	372	214	190	169	135
New England	151	176	96	95	83	59
Middle Atlantic	321	329	191	164	147	122
Midwest	362	346	197	224	143	171
East North Central	293	280	159	166	120	115
West North Central	224	199	127	144	79	121
South	535	630	298	360	241	235
South Atlantic	413	494	233	301	191	181
East South Central	201	212	100	113	79	85
West South Central	298	343	159	175	118	128
West	483	483	290	226	189	169
Mountain	214	248	135	111	87	88
Pacific	432	419	257	199	168	144
<b>COUNTY TYPE</b>						
Large Metro	947	1,044	426	433	305	300
Small Metro	752	787	310	319	233	192
250K – 1 Mil. Pop.	624	699	260	269	197	156
< 250K Pop.	446	439	179	181	126	118
Nonmetro	514	507	202	182	124	115
Urbanized	349	327	143	116	78	72
Less Urbanized	351	390	140	121	92	77
Completely Rural	205	176	41	81	32	48

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.62D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.34	0.35	0.20	0.19	0.15	0.14
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.76	0.79	0.45	0.40	0.36	0.29
New England	1.21	1.41	0.78	0.76	0.67	0.47
Middle Atlantic	0.92	0.94	0.55	0.47	0.42	0.35
Midwest	0.65	0.62	0.35	0.40	0.26	0.30
East North Central	0.75	0.72	0.41	0.43	0.31	0.29
West North Central	1.31	1.16	0.74	0.84	0.46	0.70
South	0.55	0.65	0.31	0.37	0.25	0.24
South Atlantic	0.81	0.96	0.46	0.58	0.38	0.35
East South Central	1.31	1.37	0.65	0.73	0.52	0.55
West South Central	0.99	1.12	0.53	0.57	0.39	0.42
West	0.80	0.79	0.48	0.37	0.31	0.28
Mountain	1.16	1.32	0.73	0.60	0.47	0.47
Pacific	1.03	0.98	0.61	0.47	0.40	0.34
<b>COUNTY TYPE</b>						
Large Metro	0.50	0.53	0.29	0.27	0.22	0.21
Small Metro	0.58	0.60	0.35	0.37	0.28	0.23
250K – 1 Mil. Pop.	0.71	0.76	0.45	0.44	0.36	0.28
< 250K Pop.	1.04	1.00	0.58	0.63	0.44	0.42
Nonmetro	0.78	0.79	0.42	0.39	0.28	0.26
Urbanized	1.21	1.08	0.71	0.56	0.40	0.38
Less Urbanized	1.06	1.27	0.61	0.57	0.44	0.38
Completely Rural	2.52	2.24	0.78	1.36	0.66	0.90

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.62P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.8196		0.1812		0.0351	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5044		0.0401		0.0064	
New England	0.3914		0.0682		0.0085	
Middle Atlantic	0.7630		0.1795		0.0909	
Midwest	0.4936		0.7151		0.7243	
East North Central	0.4314		0.3621		0.0581	
West North Central	0.9525		0.5211		0.0804	
South	0.9874		0.3446		0.2352	
South Atlantic	0.8112		0.3461		0.0724	
East South Central	0.2365		0.6278		0.5506	
West South Central	0.2451		0.5404		0.3883	
West	0.5539		0.0663		0.9143	
Mountain	0.8373		0.0975		0.2969	
Pacific	0.5766		0.2228		0.6468	
<b>COUNTY TYPE</b>						
Large Metro	0.2630		0.6912		0.9523	
Small Metro	0.4968		0.0388		0.0052	
250K – 1 Mil. Pop.	0.7310		0.1208		0.0061	
< 250K Pop.	0.0940		0.1681		0.3897	
Nonmetro	0.0466		0.2250		0.1195	
Urbanized	0.2335		0.1054		0.0554	
Less Urbanized	0.1386		0.1689		0.2831	
Completely Rural	0.4910		0.0077		0.2444	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.63C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	63	64	54	50	32	32
<b>GEOGRAPHIC DIVISION</b>						
Northeast	25	24	22	18	14	14
New England	14	12	13	8	7	6
Middle Atlantic	21	20	18	16	12	12
Midwest	24	29	19	22	12	14
East North Central	19	24	16	18	10	11
West North Central	16	15	12	12	7	8
South	41	40	36	34	22	22
South Atlantic	33	29	29	24	16	15
East South Central	14	14	12	12	10	9
West South Central	22	24	18	19	12	14
West	33	30	27	25	15	14
Mountain	18	17	13	14	8	8
Pacific	27	25	23	20	12	11
<b>COUNTY TYPE</b>						
Large Metro	53	50	42	42	23	25
Small Metro	39	40	29	28	17	17
250K – 1 Mil. Pop.	30	32	24	25	15	15
< 250K Pop.	24	24	17	13	9	8
Nonmetro	28	29	25	23	14	14
Urbanized	17	17	15	14	7	9
Less Urbanized	24	21	20	16	11	11
Completely Rural	8	10	7	7	5	4

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.63D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.25	0.26	0.22	0.20	0.13	0.13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.59	0.56	0.52	0.43	0.32	0.33
New England	1.26	1.14	1.19	0.73	0.65	0.57
Middle Atlantic	0.67	0.65	0.57	0.53	0.37	0.40
Midwest	0.45	0.53	0.36	0.40	0.23	0.26
East North Central	0.50	0.64	0.41	0.48	0.27	0.30
West North Central	0.99	0.90	0.75	0.73	0.42	0.51
South	0.45	0.43	0.39	0.36	0.24	0.24
South Atlantic	0.71	0.62	0.63	0.52	0.35	0.31
East South Central	0.92	0.93	0.84	0.85	0.65	0.60
West South Central	0.69	0.75	0.57	0.60	0.38	0.44
West	0.55	0.51	0.45	0.42	0.25	0.23
Mountain	0.96	0.91	0.70	0.73	0.44	0.45
Pacific	0.66	0.61	0.56	0.50	0.30	0.27
<b>COUNTY TYPE</b>						
Large Metro	0.36	0.34	0.29	0.29	0.17	0.18
Small Metro	0.45	0.46	0.35	0.35	0.23	0.22
250K – 1 Mil. Pop.	0.49	0.51	0.42	0.44	0.28	0.29
< 250K Pop.	0.89	0.96	0.65	0.54	0.40	0.32
Nonmetro	0.64	0.66	0.58	0.52	0.34	0.36
Urbanized	0.80	0.89	0.72	0.74	0.41	0.50
Less Urbanized	1.17	1.06	1.06	0.85	0.62	0.58
Completely Rural	1.80	1.91	1.57	1.43	1.22	0.93

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.63P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.0005		0.0004		0.1311	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4450		0.0108		0.7886	
New England	0.0737		0.0004		0.2120	
Middle Atlantic	0.7792		0.3947		0.7332	
Midwest	0.2464		0.5576		0.9414	
East North Central	0.7103		0.8455		0.9965	
West North Central	0.1331		0.2217		0.8912	
South	0.0175		0.0479		0.1619	
South Atlantic	0.0501		0.0884		0.2255	
East South Central	0.3290		0.6155		0.6337	
West South Central	0.3381		0.3754		0.5343	
West	0.0150		0.0333		0.2568	
Mountain	0.5929		0.8228		0.7879	
Pacific	0.0079		0.0162		0.2154	
<b>COUNTY TYPE</b>						
Large Metro	0.0290		0.0494		0.9811	
Small Metro	0.0268		0.0114		0.0558	
250K – 1 Mil. Pop.	0.0881		0.1147		0.2265	
< 250K Pop.	0.1609		0.0189		0.1107	
Nonmetro	0.0693		0.0407		0.1877	
Urbanized	0.3271		0.4071		0.8114	
Less Urbanized	0.0326		0.0462		0.0628	
Completely Rural	0.2496		0.8952		0.5786	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.64C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	171	171	134	142	93	100
<b>GEOGRAPHIC DIVISION</b>						
Northeast	70	69	55	56	43	40
New England	36	33	26	26	22	20
Middle Atlantic	60	60	49	50	37	35
Midwest	67	65	54	57	40	36
East North Central	48	53	42	48	33	30
West North Central	44	35	33	31	24	21
South	100	103	80	86	57	64
South Atlantic	75	81	61	68	44	52
East South Central	36	37	26	30	20	23
West South Central	59	47	45	42	35	31
West	90	91	73	73	51	50
Mountain	42	35	37	29	27	21
Pacific	79	85	64	69	44	46
<b>COUNTY TYPE</b>						
Large Metro	201	203	137	128	89	84
Small Metro	181	159	117	103	65	58
250K – 1 Mil. Pop.	115	116	72	78	45	42
< 250K Pop.	136	117	88	72	45	42
Nonmetro	82	98	58	68	36	40
Urbanized	59	78	41	54	25	30
Less Urbanized	55	59	40	41	25	26
Completely Rural	24	30	16	17	11	8

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.64D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.49	0.49	0.39	0.41	0.27	0.29
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.13	1.12	0.89	0.92	0.69	0.65
New England	2.22	2.01	1.63	1.60	1.38	1.25
Middle Atlantic	1.33	1.32	1.07	1.10	0.81	0.76
Midwest	0.91	0.87	0.73	0.76	0.54	0.49
East North Central	0.94	1.04	0.83	0.93	0.64	0.59
West North Central	1.92	1.51	1.44	1.35	1.06	0.91
South	0.79	0.80	0.62	0.67	0.44	0.50
South Atlantic	1.15	1.24	0.94	1.04	0.67	0.80
East South Central	1.79	1.82	1.28	1.45	0.99	1.13
West South Central	1.40	1.11	1.07	0.98	0.82	0.72
West	1.08	1.09	0.88	0.88	0.61	0.60
Mountain	1.68	1.40	1.46	1.16	1.09	0.82
Pacific	1.36	1.45	1.10	1.18	0.75	0.79
<b>COUNTY TYPE</b>						
Large Metro	0.69	0.70	0.53	0.58	0.40	0.42
Small Metro	0.81	0.87	0.71	0.70	0.48	0.46
250K – 1 Mil. Pop.	0.93	1.09	0.85	0.86	0.58	0.53
< 250K Pop.	1.42	1.48	1.17	1.24	0.82	0.88
Nonmetro	1.09	1.05	0.91	0.88	0.64	0.63
Urbanized	1.62	1.53	1.30	1.28	0.92	0.93
Less Urbanized	1.56	1.60	1.42	1.32	1.00	0.96
Completely Rural	3.59	3.46	2.79	2.56	2.11	1.57

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.



**Table 2.64P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.4344		0.0753		0.0531	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7376		0.1505		0.2306	
New England	0.8620		0.7066		0.7882	
Middle Atlantic	0.6182		0.1484		0.2081	
Midwest	0.7131		0.2347		0.5380	
East North Central	0.7924		0.4634		0.4915	
West North Central	0.7880		0.3225		0.9301	
South	0.1282		0.2389		0.1245	
South Atlantic	0.3256		0.5074		0.5785	
East South Central	0.3197		0.7810		0.4016	
West South Central	0.0477		0.2848		0.1529	
West	0.4405		0.9780		0.6911	
Mountain	0.2056		0.0384		0.0206	
Pacific	0.1499		0.3383		0.4380	
<b>COUNTY TYPE</b>						
Large Metro	0.7664		0.3070		0.0911	
Small Metro	0.3348		0.1088		0.3973	
250K – 1 Mil. Pop.	0.7296		0.8818		0.2186	
< 250K Pop.	0.0412		0.0131		0.8896	
Nonmetro	0.7578		0.5905		0.6308	
Urbanized	0.6306		0.9182		0.5694	
Less Urbanized	0.5794		0.6111		0.7883	
Completely Rural	0.2707		0.2892		0.2783	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.65C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	852	885	481	469	372	335
<b>GEOGRAPHIC DIVISION</b>						
Northeast	346	359	206	180	164	128
New England	148	166	91	86	80	53
Middle Atlantic	312	320	185	158	143	117
Midwest	347	330	182	210	134	166
East North Central	283	265	150	154	116	111
West North Central	211	190	114	135	68	117
South	508	617	278	347	229	219
South Atlantic	394	494	214	294	182	166
East South Central	194	202	92	99	76	78
West South Central	283	327	147	164	108	123
West	468	455	272	211	181	163
Mountain	213	236	126	106	83	88
Pacific	417	394	242	184	162	138
<b>COUNTY TYPE</b>						
Large Metro	887	982	392	401	289	283
Small Metro	696	734	273	294	221	182
250K – 1 Mil. Pop.	597	651	237	246	189	149
< 250K Pop.	386	403	146	160	115	107
Nonmetro	484	477	180	156	116	103
Urbanized	323	305	127	95	71	63
Less Urbanized	327	363	123	103	85	67
Completely Rural	192	158	32	74	28	45

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.65D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.42	0.44	0.24	0.23	0.19	0.17
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.94	0.97	0.56	0.49	0.44	0.35
New England	1.53	1.70	0.93	0.88	0.83	0.54
Middle Atlantic	1.15	1.17	0.68	0.58	0.53	0.43
Midwest	0.80	0.76	0.42	0.48	0.31	0.38
East North Central	0.95	0.88	0.50	0.51	0.39	0.37
West North Central	1.60	1.43	0.87	1.02	0.51	0.88
South	0.68	0.82	0.37	0.46	0.31	0.29
South Atlantic	0.99	1.23	0.54	0.73	0.46	0.41
East South Central	1.63	1.69	0.78	0.82	0.64	0.65
West South Central	1.25	1.42	0.65	0.71	0.48	0.53
West	1.01	0.97	0.59	0.45	0.39	0.35
Mountain	1.51	1.65	0.90	0.74	0.59	0.61
Pacific	1.29	1.21	0.75	0.56	0.50	0.42
<b>COUNTY TYPE</b>						
Large Metro	0.62	0.67	0.35	0.34	0.27	0.26
Small Metro	0.73	0.76	0.42	0.46	0.35	0.29
250K – 1 Mil. Pop.	0.92	0.94	0.55	0.55	0.45	0.34
< 250K Pop.	1.29	1.31	0.67	0.77	0.55	0.52
Nonmetro	0.97	0.99	0.50	0.44	0.33	0.30
Urbanized	1.50	1.36	0.84	0.61	0.48	0.42
Less Urbanized	1.35	1.56	0.73	0.65	0.54	0.43
Completely Rural	2.85	2.68	0.81	1.69	0.71	1.12

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.65P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.8902		0.6307		0.1258	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5451		0.1472		0.0142	
New England	0.4159		0.1397		0.0093	
Middle Atlantic	0.7976		0.3891		0.1556	
Midwest	0.5606		1.0000		0.8268	
East North Central	0.4299		0.4046		0.0753	
West North Central	0.9125		0.2825		0.0627	
South	0.6426		0.1301		0.4715	
South Atlantic	0.9399		0.1824		0.0930	
East South Central	0.1927		0.7044		0.7272	
West South Central	0.0955		0.2862		0.1664	
West	0.5435		0.0835		0.9220	
Mountain	0.6422		0.2761		0.7082	
Pacific	0.6681		0.1657		0.7492	
<b>COUNTY TYPE</b>						
Large Metro	0.1905		0.3220		0.6458	
Small Metro	0.7305		0.1319		0.0104	
250K – 1 Mil. Pop.	0.7029		0.1391		0.0115	
< 250K Pop.	0.2357		0.6191		0.4141	
Nonmetro	0.0600		0.2663		0.1353	
Urbanized	0.1491		0.0564		0.0403	
Less Urbanized	0.2532		0.2820		0.3180	
Completely Rural	0.5745		0.0038		0.1343	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.66C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	880	913	510	492	387	354
<b>GEOGRAPHIC DIVISION</b>						
Northeast	354	368	213	189	168	133
New England	147	173	95	95	82	58
Middle Atlantic	321	327	190	163	147	120
Midwest	359	341	195	223	142	170
East North Central	293	275	158	166	120	114
West North Central	219	197	125	143	77	120
South	530	623	298	359	240	234
South Atlantic	413	492	232	303	190	181
East South Central	200	209	98	111	79	85
West South Central	292	338	158	173	117	128
West	483	477	288	224	189	168
Mountain	215	243	134	111	87	88
Pacific	433	415	256	196	169	144
<b>COUNTY TYPE</b>						
Large Metro	938	1,034	423	425	305	296
Small Metro	743	775	306	317	232	191
250K – 1 Mil. Pop.	616	688	256	266	196	155
< 250K Pop.	441	433	177	179	126	117
Nonmetro	508	502	198	178	123	114
Urbanized	344	324	140	114	78	71
Less Urbanized	345	385	136	118	90	76
Completely Rural	203	171	38	80	31	47

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.66D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.37	0.38	0.22	0.21	0.16	0.15
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.83	0.85	0.50	0.44	0.39	0.31
New England	1.30	1.52	0.84	0.83	0.72	0.51
Middle Atlantic	1.01	1.03	0.60	0.51	0.46	0.38
Midwest	0.71	0.67	0.39	0.44	0.28	0.33
East North Central	0.83	0.78	0.45	0.47	0.34	0.32
West North Central	1.42	1.26	0.81	0.92	0.50	0.77
South	0.61	0.71	0.34	0.41	0.28	0.27
South Atlantic	0.89	1.05	0.50	0.65	0.41	0.39
East South Central	1.44	1.49	0.70	0.79	0.57	0.60
West South Central	1.09	1.24	0.59	0.63	0.43	0.47
West	0.89	0.86	0.53	0.40	0.35	0.30
Mountain	1.30	1.44	0.81	0.66	0.52	0.53
Pacific	1.14	1.08	0.67	0.51	0.44	0.37
<b>COUNTY TYPE</b>						
Large Metro	0.55	0.58	0.32	0.30	0.24	0.23
Small Metro	0.63	0.65	0.38	0.41	0.31	0.25
250K – 1 Mil. Pop.	0.78	0.82	0.50	0.49	0.40	0.30
< 250K Pop.	1.14	1.08	0.63	0.69	0.48	0.47
Nonmetro	0.86	0.87	0.46	0.42	0.30	0.28
Urbanized	1.34	1.18	0.77	0.61	0.45	0.40
Less Urbanized	1.18	1.39	0.66	0.62	0.49	0.41
Completely Rural	2.68	2.46	0.82	1.52	0.70	1.00

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.66P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.9805		0.3263		0.0460	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5127		0.0693		0.0064	
New England	0.4545		0.1403		0.0113	
Middle Atlantic	0.7280		0.2054		0.0822	
Midwest	0.5287		0.7533		0.7141	
East North Central	0.4256		0.3463		0.0577	
West North Central	0.9587		0.4387		0.0809	
South	0.8618		0.2536		0.2856	
South Atlantic	0.9140		0.2704		0.0874	
East South Central	0.2566		0.6682		0.5825	
West South Central	0.2156		0.4800		0.3608	
West	0.4674		0.0982		0.9746	
Mountain	0.8063		0.1044		0.3109	
Pacific	0.4883		0.3059		0.5950	
<b>COUNTY TYPE</b>						
Large Metro	0.2248		0.5664		0.9378	
Small Metro	0.5974		0.0651		0.0079	
250K – 1 Mil. Pop.	0.6591		0.1553		0.0078	
< 250K Pop.	0.1185		0.2372		0.4600	
Nonmetro	0.0607		0.3328		0.1604	
Urbanized	0.1918		0.1214		0.0473	
Less Urbanized	0.2252		0.2742		0.4042	
Completely Rural	0.4831		0.0072		0.2130	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.